

Post-Conflict Transition and Sustainability in Kosovo: Establishing Primary Healthcare-Based Antenatal Care

Fay F. Homan, MD;¹ Cristina S. Hammond, MPH;¹ Ellen F. Thompson, MS, RN;²
Donald O. Kollisch, MD;³ James C. Strickler, MD⁴

1. Department of Community and Family Medicine, Dartmouth Medical School, Hanover, New Hampshire USA
2. Office of Care Management, Dartmouth Hitchcock Medical Center, Lebanon, New Hampshire USA
3. Department of Community Health and Social Medicine, Sophie Davis School of Biomedical Education at The City College of New York, New York, New York USA
4. Departments of Medicine and Community and Family Medicine, Dartmouth Medical School, Hanover, New Hampshire USA

Correspondence:

Fay Homan, MD
Little Rivers Healthcare
65 Main Street
Wells River, Vermont 05081
E-mail: fay.f.homan@dartmouth.edu

Keywords: antenatal care; family medicine; implementation; international health; Kosovo; microsystems; post-conflict; primary healthcare; transition

Abbreviations:

ANC = antenatal care
DMS = Dartmouth Medical School
FMC = Family Medicine Center
GDA = Global Development Alliance
WHO = World Health Organization

Received: 13 April 2009

Accepted: 12 August 2009

Web publication: 23 February 2010

Abstract

Introduction: Kosovo is a post-conflict nation with an extensively damaged infrastructure, a weak primary care base, and poor maternal-child health outcomes. The Kosovo-Dartmouth Alliance for Healthy Newborns (the Alliance) sought to improve maternal and neonatal health in Kosovo by providing family medicine-based antenatal care (ANC).

Methods: The ANC Program used a modification of the World Health Organization's four-visit, prenatal care model. The program is based in family medicine and requires minimal medical equipment, such as a blood pressure cuff, fetal doppler, measuring tape, urine dipstick, and charting materials. Patient education and counseling are stressed. Women are taught about danger signs in pregnancy and establishing an emergency plan, so that they can respond promptly if complications occur. Antenatal care doctors and nurses are trained to refer women to obstetricians for deviations from normal pregnancy. The providers are taught using a "Training of Trainers" approach, building on an existing system of family medicine trainers. In order to address challenges in implementation and sustainability, microsystems methodology is used to focus on implementing change and assuring quality improvement through shared decision-making and the study of outcomes.

Results: Based on chart reviews and direct observation, ANC providers showed mastery of the components of ANC, including physical examination, recognition and referral of high-risk pregnancies, and patient education. After an initial pilot project, Kosovo's Ministry of Health recommended this program for dissemination throughout the country. During the next year, ANC was implemented at 27 Family Medicine Centers in nine municipalities; 1,671 women were seen for a total of 3,399 visits. Currently, the Alliance's model of ANC is offered in 30% of Kosovo's municipalities.

Discussion: International aid projects often lack attention to long-term sustainability. Microsystems training gives participants the tools and framework to implement and sustain change, even after international support is withdrawn.

Conclusions: The Alliance's model of family medicine-based ANC is simple to teach and emphasizes sustainability. It may be modified for use in different cultures and healthcare systems and offers the opportunity to improve maternal and infant health by providing low cost antenatal care, available in a woman's own community.

Homan FF, Hammond CS, Thompson EF, Kollisch DO, Strickler JC: Post-conflict transition and sustainability in Kosovo: Establishing primary healthcare-based antenatal care. *Prehosp Disaster Med* 2009;25(1):28-33.

Introduction

Kosovo is a post-war country with an extensively damaged infrastructure and a poor economy. Although Kosovo declared independence in February 2008, its political future remains uncertain. There is a long history of ethnic hostility with recent oppression of ethnic Albanians by Serbian-backed forces from 1988-1999. This period was followed by the 1999 war, a humanitarian crisis during which 90% of Kosovars were displaced into refugee camps in sur-

rounding nations. Military intervention by NATO ultimately ended the war, but left a damaged landscape and population. As a result, Kosovo itself, and its healthcare system in particular, is facing extraordinary challenges in recovery and reconstruction.

The medical system that has developed since the 1999 war is hampered by underfunding, and, as is common in post-Soviet medical systems, is specialty-focused and urbanized, with no strong primary care base. Access in rural areas is poor. During the decade of ethnic oppression, most Kosovar physicians were not allowed to work in their professions. The result is a generation of physicians with inadequate training and outdated skills. Since 1999, the World Health Organization (WHO) has overseen the formation of a family medicine-based system of primary healthcare.¹⁻⁴ Nonetheless, there is a scarcity of individuals with experience in administration and management, and improvements have been slow. In addition, nursing roles traditionally have been limited, involving very little direct patient care. Health outcomes throughout Kosovo are poor, particularly concerning perinatal mortality; it has the highest perinatal mortality rate in Europe, 23/1,000 population.^{4,5} Leading causes of perinatal mortality are complications of pregnancy, prematurity, infection, and birth asphyxia.⁵ Antenatal care has been available only with obstetricians, and generally only in more urban areas. Individual medical records are not kept; pregnant women typically arrive at the hospital in labor with no record of their antenatal care.

The Dartmouth Medical School (DMS) has been involved in healthcare improvement projects in Kosovo since 2001.^{6,7} The recent partnerships have focused on maternal child health. In 2004, funded by United States Agency for International Development (USAID) and supported by the American International Health Alliance, Dartmouth conducted a pilot primary care project introducing antenatal care (ANC) in family medicine. Later, the Kosovo-Dartmouth Alliance for Healthy Newborns, a USAID-funded Global Development Alliance (GDA), disseminated the successful ANC pilot project and introduced improvements in obstetric and neonatal intensive care. The GDA project involved matching funds from corporate and individual donors, including the major Alliance partner AmeriCares, a large international humanitarian relief organization. The Kosovo Ministry of Health and numerous volunteer physicians and nurses from Kosovo and the US donated their time.

For the purposes of this paper, the DMS and all of its funding and volunteer partners will be referred to as the "Alliance". The Alliance's objective was to improve infant and maternal health in Kosovo by establishing low cost, family medicine-based ANC, available to all women close to home. Recognizing that healthcare initiatives in developing countries often fail to place emphasis on implementation and sustainability,⁸ the Alliance, as with previous Dartmouth-Kosovo projects, used microsystems methodology, an established process for improving medical care used to address these issues in the United States and Western Europe.^{9,10} This methodology acknowledges that health care is delivered within a system, and that all levels of this system must be involved when implementing change. It

stresses teamwork at all levels of the healthcare system, and uses the study of outcomes to drive continuous quality improvement. Working groups are established to assure that all parties involved in the microsystem are engaged in the process. Healthcare professionals use the Plan, Do, Study, Act (PDSA) cycle, a process described in the microsystems literature to Plan and implement (*Do*) new care services, collect and analyze data (*Study*), and *Act* on the conclusions to thus continuously improve care.¹⁰

The municipality of Gjakova was chosen for the pilot project as it is a representative mid-sized city of 120,000 population, one that suffered extensive damage during the 1999 war (90% population displacement; 90% of existing buildings damaged or destroyed). The population is mostly ethnic Albanian and of Muslim faith.¹¹ Gjakova has a functioning network of family medicine clinics, though resources are minimal; most lack consistent heat and basic equipment such as blood pressure cuffs. The relationship between the local obstetricians and the family medicine leadership was said to be cordial. The system of family medicine physician and nurse trainers consists of individuals that are selected in each municipality and designated as "Trainers" for new skills and procedures. The Alliance built upon this system for the education, training, and evaluation of its ANC module.

Methods

Phase I

The Alliance organized a program of family medicine-based antenatal care, using a model developed and shown to be effective by the World Health Organization (WHO; Figure 1) that utilized a reduced number of antenatal care visits (a minimum of four visits during pregnancy).^{12,13} The Alliance developed and provided training materials, in conjunction with physicians and nurses from Gjakova (Figure 2). Two physicians and one nurse, who already were designated as Trainers, underwent extensive additional training by Alliance personnel both in Gjakova and in the US. Then, they were responsible for disseminating the training to other physicians and nurses in the Gjakova municipality. Physicians and nurses were trained together (a new concept in this culture), and both were given significant roles in the provision of antenatal care. The trainings were consistent with Western standards, including pre- and post-testing, as well as Observed Standardized Clinical Evaluation (OSCE) testing of clinical skills. Hands-on skills were practiced both on models and on recruited pregnant patients. The Alliance provided materials necessary to implement antenatal care at each new site (Table 1). The cost for both training and implementation resources for each Family Medicine Center (FMC) was approximately USD \$1,500-2,000/FMC dependent on the number of professionals trained (3-20/FMC) and estimated number of women expected for care during the first year of implementation (50-500). In addition to the resources provided by the Alliance, the FMCs were expected to be equipped with basic items such as blood pressure cuffs, stethoscopes, and scales. Those that were not provided with any necessary items. Once the personnel were trained, the challenges of implementation were addressed (Phase II) using the microsystems approach.

- Evidence-based
- Assumes all women are at risk
- Demonstrates that every woman needs antenatal care to:
 - Reduce complications
 - Reduce pre-term births
 - Prepare for delivery and motherhood
 - Improve outcomes
- 4 visits for routine care with no complications
 - 1st Visit – first trimester ideal, <12 weeks
 - 2nd Visit – 26 weeks
 - 3rd Visit – 32 weeks
 - 4th Visit – 36–38 weeks
- Follow-up visits during post-partum period

Homan © 2010 Prehospital and Disaster Medicine

Figure 1—The World Health Organization 4-visit model for Antenatal Care^{12,13}

#	Implementation Resources for each Family Medicine Center
1	Fetal Doppler
1	Ultrasound gel for doppler
1	Fetoscope (fetal stethoscope)
100	Urine tests for protein
100	Pregnancy tests
3	Measuring Tapes - fundal height
10	Gestational Wheels
2	ANC Resource Manuals per FMC
1	Log-book for patient data
200	Classifying Form
150	ANC Medical Record
150	Appointment/return Visit Card
	<i>Educational Posters:</i>
30	ANC in Family Medicine (community placement)
1 set	Pregnancy by Month (set of 7), Timeline (office posters)
	<i>Patient Education Brochures</i>
200 each	ANC at Family Medicine Centers; Family Support, Nutrition, Folic Acid, Emergency Planning
	<i>Patient Information Handouts:</i>
200 each	Timeline of Pregnancy, Danger Signs
100 sets	IPH Pregnancy by Months (7 pages each set)

Homan © 2010 Prehospital and Disaster Medicine

Table 1—Resources provided by Kosovo-Dartmouth Alliance for Healthy Newborns to each Family Medicine Center implementing Antenatal Care (ANC = Antenatal Care; FMC = Family Medicine Center; IPH = Institute of Public Health)

- I Family Medicine Antenatal Care Training Materials
 - A Overview and Objectives of ANC Training
 - B Antenatal Care Training presentation
 - C Training Forms
 - 1 Training Attendance and Testing Record
 - 2 Written competency test
 - 3 OSCE – skills test
 - 4 Training Evaluation Forms
 - 5 Implementation Forms:
 - Classifying Form
 - Antenatal Care Medical Record
 - Medication Handout
 - 6 Data Collection & Reporting Forms
 - Log Book
 - Monthly/Yearly Report Tables
 - Chart review/monitoring form
- II Microsystems Manual for ANC Implementation
 - A Resource Manual
 - B Attachments & Worksheets
- III Family Medicine Center ANC Site Resource Manual
 - A Overview of Family Medicine- Antenatal Care
 - B Skills
 - C Complications
 - D Medication use
 - E Patient Education
 - F Postpartum Care
 - G Patient Education Materials

Homan © 2010 Prehospital and Disaster Medicine

Figure 2—Package of Antenatal Care training resources (ANC = Antenatal Care; OSCE = Observed, Structured, Clinical Exam)

Phase II

Due to the lack of experienced family medicine administrators and management, and the relatively weak role of nurses, it was deemed necessary to use a systematic, comprehensive approach to instituting change. The Alliance began by examining what was referred to as the “clinical microsystem”, a composite term for the individual FMCs in Gjakova. Working groups were established to address implementation challenges and to drive decision-making at all staff levels. Working groups addressed issues such as community education, patient education, building relationships with obstetricians, and data collection (Figure 3). The groups met regularly to develop plans, set goals, and report on progress. A Leadership Group, composed of the leaders of each working group, met with the Medical Director of the municipality to coordinate efforts and assure adherence to an agreed upon timeline. Physicians and nurses took equal roles in the leadership and working groups, which was most unusual in a post-Soviet culture that normally emphasizes hierarchy. The Alliance recognized that enhancing the nurses’ roles was essential to the development of Family Medicine overall. Therefore, the Alliance built upon advances made in a previous project in the city of Gjilan, in which nursing roles in Family Medicine Centers were enhanced.⁶ With the Alliance, the role of nurses was expanded to include direct patient care, patient education, physical examination, and medical record keeping.

Following the Alliance’s model, patients receive very basic antenatal care: focused physical examinations including blood pressure, fundal height, fetal heart tones, and proteinuria screening. A medical record is kept, including a “maternal passport”, a document that a woman brings with



Homan © 2010 Prehospital and Disaster Medicine

Figure 3—Workgroups developed to improve and implement Antenatal Care

her to the hospital when she goes into labor. This allows the delivering physician to have access to basic information such as a woman’s due date, blood type, and pregnancy complications. In addition, patient education is recognized as the cornerstone of risk reduction. Counseling is provided on smoking cessation, nutrition, and breastfeeding. Women are taught about danger signs in pregnancy and encouraged to establish an emergency plan so that they can respond promptly if danger signs occur. The emergency plan is necessary in Kosovo, since most areas lack ambulance service, and vehicle ownership in rural areas is rare. Antenatal care providers were trained to refer women to obstetricians if they were high risk at the first visit, or had deviations from normal pregnancy during subsequent visits.

Results

In the first 10 months of the Gjakova pilot project, ANC was being provided at all nine of the selected FMCs. There were 172 pregnant women that were seen, for a total of 254 patient visits. Chart review, based on standards of the WHO model program, confirmed that high quality ANC was being provided appropriately in accordance with the WHO model (Table 2, column 1). Quality was assessed by accurate completion of the antenatal care record, including documentation of due date, key aspects of the physical examination, recognition and referral of high risk pregnancies, and patient education on nutrition, danger signs, and emergency planning.

Based on the results of the Gjakova pilot project, the Ministry of Health supported the dissemination of this antenatal care model throughout Kosovo. A USAID-funded Global Development Alliance provided support for the dissemination phase. During the next 18 months, antenatal care training was implemented at six new municipalities. The Alliance used the established network of family medicine trainers in the new municipalities to disseminate the ANC module. A core group of antenatal care trainers from the

Gjakova n = 172 %	Alliance n = 119 %	Antenatal Care Service Recorded
95%	99%	Completed Classifying Form
98%	95%	Estimated Due Date
25%	24%	Referred to a Specialist
83%	98%	Blood pressure recorded at each visit
84%	74%	Fundal height recorded
86%	75%	Received education on danger signs, nutrition, and emergency planning

Homan © 2010 Prehospital and Disaster Medicine

Table 2—Workgroups developed to improve and implement Antenatal Care

Gjakova pilot project held a “Training of Trainers” for attendees from the new municipalities. These individuals were responsible for training their local family medicine staff members in providing antenatal care. The Alliance provided material and logistical support for the training sessions, but the teaching was carried out entirely by Kosovar trainers, establishing a sustainable mechanism for dissemination.

Two microsystems workshops were completed by 78 family medicine physicians and nurses. An additional eight municipalities that initially had not been chosen for ANC implementation approached the Alliance for assistance, having learned of the program from colleagues. The Alliance arranged for training and materials. In one instance, the ANC trainers from one municipality voluntarily trained physicians and nurses from three neighboring municipalities, who in turn, trained their own staffs and implemented ANC. At the end of the project, materials and plans were in place to extend ANC to the additional five municipalities interested.

In all, 87 antenatal care trainings resulted in 1,299 personnel trained (319 physicians and 980 nurses). During the first year roll-out of implementation, 1,671 women were seen at 27 FMCs in nine municipalities. A total of 3,399 visits were reported with women seen for 1,077 initial ANC visits, 587 follow-up visits, and 1,735 post-partum care visits. Through chart review and direct observation, quality of care was confirmed and found to be consistent with the results of the Gjakova pilot (Table 3, column 2).

More than 30% of Kosovo’s municipalities (and all of the largest municipalities) now have the capacity to provide ANC services for free to women in their community. For many pregnant women, these services have led to referrals for additional, potentially life-saving care. Highlights of the final results include:

1. 10 of Kosovo’s 30 municipalities are trained and actively offering ANC in FMCs;
2. 40 family medicine physician and nurse trainers are credentialed to provide ANC training;

Cause of Death (5)	Antenatal Care Intervention
Prematurity (49%)	<ul style="list-style-type: none"> - Document due date - Specialist referral for history of pre-term delivery - Antenatal steroid use - Patient education for signs of pre-term labor - Early recognition – transfer to tertiary care
Congenital Anomaly (18%)	<ul style="list-style-type: none"> - Folate supplementation - Referral for large and small for dates - Facilitates ultrasound diagnosis - Delivery at tertiary care center
Perinatal Causes (15%)	<ul style="list-style-type: none"> - Prompt recognition and referral for: <ul style="list-style-type: none"> - Vaginal bleeding - Elevated blood pressure and edema - Abnormal fundal height - Severe anemia - Rh incompatibility - Patient Education: nutrition, iron supplementation, alcohol
Infection (9%)	<ul style="list-style-type: none"> - Recognition and referral for premature rupture of membranes - Prevention of sexually transmitted diseases - Patient education regarding danger signs
Asphyxia (5%)	<ul style="list-style-type: none"> - Prompt recognition and referral for: <ul style="list-style-type: none"> - Decreased fetal movement - Abnormal heart tones - Induction at 41 weeks - Patient Education: tobacco use

Homan © 2010 Prehospital and Disaster Medicine

Table 3—Antenatal care potential impact on reducing causes of early neonatal death⁵

3. 36 FMCs are providing ANC and nine additional sites are prepared to start (A total of 45 FMCs have trained staff and resources available); and
4. 27% of visits for ANC resulted in referrals to specialty care; referrals were appropriate, and occurred at expected rates. Some of the referrals (e.g. severe pre-eclampsia, multiple gestation, severe anemia) were potentially life-saving (Table 3).

Materials produced by the Alliance have been packaged in such a way as to facilitate additional dissemination throughout Kosovo (Figure 2 and Table 1). These include:

1. A full ANC training package that is evidence-based, includes skills practice, testing and Observed Standardized Clinical Evaluation (OSCE) examination; and focuses on microsystem methods for implementation and sustainability. This is a Ministry of Health-endorsed Continuing Professional Development (CPD) module for physicians and nurses available for wider dissemination across Kosovo; and
2. An ANC implementation package (“toolkit”) of material and educational and informational resources for FMCs.

Discussion

It is all too common for international aid initiatives to focus too narrowly on training or resource distribution, without adequate attention to improving the systems that are required for ongoing success. The microsystems approach gives participants the tools and framework to implement

change in a way that remains sustainable, even after international support is withdrawn. The participating Kosovar professionals were empowered by microsystems training to develop a new way of organizational thinking; they learned to promote change by working in teams instead of the more traditional “top down” manner, and to use Plan, Do, Study, Act (PDSA) cycles to implement, measure, and improve clinical care. Microsystems training also encouraged professional growth, particularly in the role of nurses. It is a simple, reproducible methodology that may be used to address a variety of healthcare problems.

Providing antenatal care in FMCs was an entirely new concept for both the providers and their patients. Innumerable challenges existed in establishing ANC in these centers, which lack adequate resources and funding. The final results of the combined pilot in Gjakova and the dissemination project to nine other municipalities demonstrate the success and value of the Kosovo-Dartmouth approach. The Dartmouth partners credit the microsystems approach in empowering healthcare professionals to rely on and develop available resources. The maxim “Start where you are, use what you have, do what you can”, a quote attributed to Arthur Ashe,¹⁴ often was repeated in encouraging Kosovar physicians and nurses to reorganize their thinking and their systems to strengthen family medicine. Given the historically specialist-oriented Kosovar medical system, changing the cultural view to have confidence in family medicine and primary care will take time. The Alliance suggests

that this change must be supported at all levels of the health-care system for a minimum of 3–5 years to show results.

The ANC program was developed during a period of transitional assistance between post-conflict relief interventions and longer-term program development. Challenges in implementation are expected given the political uncertainty, economic pressure, and health system development occurring in this new country. In addition to microsystem methods, another major factor in this project's success was the role that Dartmouth Medical School played as an academic institution. The Alliance team of healthcare providers and teachers had significant influence by establishing and building collegial relationships with many of the key healthcare professionals and stakeholder organizations in Kosovo. This allowed for education, training, and implementation to occur in a professional, mentoring atmosphere, which differs substantially from the traditional donor-to-recipient aid relationship. Although the prenatal care offered through this program is basic, it has the potential to significantly decrease Kosovo's leading causes of perinatal mortality.

It is too early to determine if this program has positively impacted health indices such as maternal and infant mortality rates. Another limitation of this work is that while the ANC module is designed to be low cost, nonetheless, it does require ongoing economic and institutional support for sustainability. Although Alliance partners reviewed data collection at each site early in the project, in later phases, responsibility was shifted fully to the local Data Groups, and accuracy could have faltered. While the numbers of pregnant women served increased steadily throughout the program, after the end of grant funding, there are no data to confirm ongoing success. To address some of the sustainability issues, the Alliance developed a Kosovo-based Foundation for Healthy Mothers and Babies. This non-governmental, non-profit, philanthropic organization is patterned after the March of Dimes in the US, and will work for improved maternal and child health through advocacy and sponsorship of programs that can fill the gaps between the government-funded health institutions and population needs.

References

- Hedley R, Maxhuni B: Development of family medicine in Kosovo. *BMJ* 2005;331(7510):201–203.
- Sejdiu P, Vuori H: *Health Policy for Kosovo*. Pristina, Kosovo: Department of Health and Social Welfare, Joint Interim Administration Structure, United Nations Mission in Kosovo, 2001.
- Figueras J, McKee M, Cain J, Lessof S (eds): *Health Systems in Transition*. WHO-European Observatory on Health Systems and Policies, 2004. Available at http://www.euro.who.int/observatory/Publications/20040720_2. Accessed 13 February 2009.
- Buwa D, Vuori H: Rebuilding a health care system: War, reconstruction and health care reforms in Kosovo. *Eur J Public Health* 2007;17(2):226–230.
- Perinatal situation in Kosovo for 2000–2006: Ministry of Health, Kosovo Mother and Child Health Committee, Kosovo Gynecology and Obstetric Association, Kosovo Pediatric Association, National Institute of Public Health, UNICEF-Kosovo Office, WHO, UNFPA. Pristina, Kosovo: WHO Office in Pristina, 2007.
- Thompson E, Harding AL, Pond F, *et al*: A partnership to improve health care in Kosovo: Dartmouth Medical School and Kosovar nurses worked together on a two-year project to rebuild primary health care in the post conflict city of Gjilan. *Am J Nurs* 2006;106:72CC-DD,72FF,72HH.
- Little GA, Hammond CS: International Perspectives: The Kosovo-Dartmouth Alliance for Healthy Newborns. *NeoReviews* 2008;9:e233–e241.
- Madon T, Hofman KJ, Kupfer L, Gass RI: Public health: Implementation science. *Science* 2007;318(5857):1728–1729.
- Nelson E, Batalden P, Godfrey M: *Quality by Design: A Clinical Microsystems Approach*. San Francisco: Jossey-Bass, 2007.
- Godfrey M, Nelson E, Batalden P: *Clinical Microsystem Action Guide: Improving Health Care by Improving your Microsystem*. Hanover, NH: Trustees of Dartmouth College; 2004.
- United Nations Interim Administration in Kosovo: Kosovo in April 2007. Available at http://www.unmikonline.org/docs/2007/Fact_Sheet_apr_2007.pdf. Accessed 13 February 2009.
- Villar J, Ba'aqel H, Piaggio G, *et al*: WHO antenatal care randomised trial for the evaluation of a new model of routine antenatal care. *Lancet* 2001;357(9268):1551–1564.
- Carroli G, Villar J, Piaggio G, Khan-Neelofur D, Gülmezoglu M, Mugford M, Lumbiganon P, Farnot U, Bergsjø P, WHO Antenatal Care Trial Research Group. WHO systematic review of randomised controlled trials of routine antenatal care. *Lancet* 2001;357(9268):1565–1570.
- Arthur Ashe: The official website of Arthur Ashe: Quotes. Available at <http://www.cmjww.com/sports/ashe/quotes.htm>. Accessed 13 February 2009.

The Alliance has applied for funding to continue this work in Kosovo. The Ministry of Health has endorsed this approach to ANC for roll-out across Kosovo. Pregnant women in many rural municipalities still lack access to ANC. The Alliance views ownership of these materials to rest with the Kosovars, and stands ready to assist other aid organizations and Kosovar health officials in using its training materials and methodologies. All materials are available in English, Albanian, Serbian, and Bosnian, and could be adapted for use in other developing nations. The Alliance recognizes other pressing needs to improve maternal child health, including improved communication, and transport capabilities between rural areas and tertiary care hospitals, and improved newborn and pediatric care. The authors would like to study the long-term impact on health indices in 3–5 years.

Conclusions

Kosovo now faces the challenges of a fragile and newly declared independence and a struggling economy. In this setting, the Alliance's ANC model holds promise for ongoing improvement in the health of Kosovo's mothers and babies. It is simple to teach and low cost to sustain. It relies on Kosovar physicians and nurses to further disseminate ANC training. It is easily packaged and modified for use in different cultures and healthcare systems, and is well-suited for implementation in countries that have a functioning, even if rudimentary, primary care system. The Kosovo Dartmouth Alliance's ANC model offers the rare opportunity to improve the health of mothers and infants in underdeveloped nations.

Acknowledgements

The authors recognize the clinical and administrative expertise provided by the family medicine physicians and nurses of Kosovo, especially Dr. Rina Limani, US volunteer physicians, and nurses from Dartmouth Medical School, and Dr. Urim Ahmeti of USAID-Kosovo.